IN THE CLAIMS

Please amend the claims as follows:

1.   (Currently Amended)   In a data processing environment having

a user with a first user identifier, which uniquely identifies

said user, at a terminal located at a particular site, the

improvement comprising:

5   a. wherein said terminal includes a second user identifier

~~having a format similar to said first user identifier~~ which

uniquely identifies said particular site and wherein said

terminal generates a service request the honoring of which

requiring access to secure data responsively coupled via a

10   publically accessible digital data communication network to

a data base management system having at least one data base

containing said secure data which honors said service

request by executing. a sequence of command language script;

~~and~~

15   b. an administration module; and

c. a security profile maintained by said administration

module and stored in association with said sequence of

command language script corresponding to said sequence of

command language script whereby said data base management

20   system permits said user to access said secure data from

3

said at least one data base from said terminal at said

particular site without transfer of said first user

identifier uniquely identifying said user via said

publically accessible digital data communication network if

5   said second user identifier corresponds to said security

profile.

2.   (Currently Amended) The improvement according to claim 1

wherein said ~~site specific~~ security profile is generated by said

data base management system.

10   3. (Previously Presented) The improvement according to claim 2

further comprising a portion of said service request whereby said

data base management system receives said second user identifier

corresponding to said particular site.

4.   (Original) The improvement according to claim 3 wherein said

15   publically accessible digital data communication network further

comprises the Internet.

5.   (Original) The improvement according to claim 4 wherein said

data base management system is MAPPER.

6.   (Previously Presented) An apparatus comprising:

4

a. a terminal located at a particular location having a
first identifier which uniquely identifies said terminal and
a user with a second identifier which uniquely identifies
said user and which generates a service request;

5   b. a data base management system having access to a data
base responsively coupled to said terminal via a publically
accessible digital data communication network and which
executes a sequence of command language script to honor said
service request; and

10   c. a security profile generated by said data base
management system corresponding to said sequence of command
language script whereby said data base management system
executes said sequence of command language script to provide
access to a particular secure portion of said data base

15   corresponding to said location specific security profile
without transfer of said second identifier via said
publically accessible digital data communication network if
said first identifier corresponds to said security profile.

7. (Previously Presented) The apparatus of claim 6 wherein said

20   terminal accesses said data base by transferring said service
request to said data base management system.

5

8. (Previously Presented) The apparatus of claim 7 wherein said service request further comprises a special portion corresponding to said particular location.

9. (Original) The apparatus of claim 8 wherein said data base
5   management system further comprises MAPPER.

10. (Original) The apparatus of claim 9 wherein said publically accessible digital data communication network further comprises the world wide web.

11. (Currently Amended) A method of utilizing a terminal having
10 a user with a user identifier which uniquely identifies said user located at a particular site to securely access a remote data base management system having a data base via a publically accessible digital data communication network comprising:

    a. signing on to said terminal by said user utilizing said
15   user identifier;

    b. transmitting a service request requiring execution of a sequence of command language statements to provide secure access to said data base from said terminal without transferring said user identifier;

20   c. receiving said service request by said remote data base management system;

6

d.   determining a security profile corresponding to said

sequence of command language statements <u>utilizing an</u>

<u>administration module</u>;

e.   comparing said security profile with said service

5   request; and

f.   honoring said service request if and only if said

service request corresponds to said security profile

12. (Previously Presented) A method according to claim 11

wherein said transmitting step further comprises transmitting a

10   portion of said service request identifying said particular site.

13. (Previously Presented) A method according to claim 12

wherein said determining step further comprises generating said

security profile corresponding to said sequence of command

language statements.

15   14. (Original) A method according to claim 13 wherein said

publically accessible digital data communication network further

comprises the Internet.

15. (Original) A method according to claim 14 wherein said

remote data base management system further comprises the MAPPER

20   data base management system.

7

16.   (Currently Amended)   An apparatus comprising:

a.   permitting means located at a site for permitting a user

having a user identifier to interact with a data base

responsively coupled via a publically accessible digital data

5   communication network;

b.   offering means responsively coupled to said permitting means

via said publically accessible digital data communication network

for offering data processing services involving access to said

data base in response to said service request by executing a

10   sequence of command language script;

c.   preventing means responsively coupled to said offering means

for preventing said offering means from offering said data

processing services to said user in response to said service

request unless said site corresponds to a security profile

15   associated with said sequence of command language script <u>and</u>

<u>maintained by an administration module</u> wherein said security

profile permits access to said data base without access to said

user identifier.

17.   (Original)   An apparatus according to claim 16 wherein said

20   publically accessible digital data communication network further

comprises the Internet.

8

18. (Previously Presented) An apparatus according to claim 17 wherein said permitting means further comprises means for transmitting a portion of said service request corresponding to said site.

5   19. (Original) An apparatus according to claim 18 wherein said offering means further comprises MAPPER data base management system.

20. (Original) An apparatus according to claim 19 wherein said permitting means further comprises an industry standard personal
10   computer.

9